HENDRICH II FALL RISK MODEL

Hqt o # 526 *: 138+

Pcog<	FQD<	Fcvg<	
Risk Factor		Risk Points	
Eqphwukqp 1 fkuqtkgpvcvkqp 1 ko rwnukxkv{		6	
U{orvqocvke Fgrtguukqp		4	
Cnvgtgf Gnk o kpcvkqp		3	
Fk kpguu Xgtvkiq		3	
I gpfgt *Ocng+		3	

 $Cp\{\ Cfokpkuvgtgf\ Cpvkgrkngrvkeu\ *cpvkeqpxwnucpvu+
*Ectfcoc|grkpg,\ Fkxqnrtqgz\ Uqfkwo,\ Gvjqvqkp,\ Gvjquwzkokfg,\ Hgndcocvg,\ Hqurjgp{vqkp,\ Icdergpv}\\Qzc|grco,\ Vtkc|qnco+\\Qzc|grco,\ Vtkc|$

		3		
Get Up and Go Test: "Rising from a Chair"				
* If unable to assess, monitor for change in activity level, assess other risk factors, document both on patient chart with date and time.				
$Cdng \ vq \ tkug \ kp \ c \ ukping \ o \ qxg \ o \ gpv-Pq \ nquu \ qh \ dencpeg \ ykvj \ uvgru$		2		
Rwujgu wr, uweeguuhwn kp qpg cwgorv		3		
Ownvkrng cvvg o rvu, dwv uweeguuhwn		5		
Wpcdng vq tkug ykvjqwv cuukuvcpeg fwtkpi vguv *QT kh c ogfkecn qtfgt uvcvgu vjg ucog cpflqt eqorngvg dgf tguv ku qtfgtgf+ ,Kh wpcdng vq cuuguu, fqew ogpv vjku qp vjg rcvkgpv ejctv ykvj vjg fcvg cpf vk og0		6		
A score of 5 or greater = High risk	Tota	al Score		
Pwtugu Uki pcvwtg Fcvg<		Vk o g<		

HENDRICH II FALL RISK MODEL